



PERRY JOHNSON LABORATORY ACCREDITATION, INC.

Certificate of Accreditation

Perry Johnson Laboratory Accreditation, Inc. has assessed the Laboratory of:

Cambium Analytica

4125 Cedar Run Rd., Suite C, Traverse City, Michigan 49684

*(Hereinafter called the Organization) and hereby declares that Organization is accredited
in accordance with the recognized International Standard:*

ISO/IEC 17025:2017

This accreditation demonstrates technical competence for a defined scope and the
operation of a laboratory quality management system
(as outlined by the joint ISO-ILAC-IAF Communiqué dated April 2017):

Chemical Testing ***(As detailed in the supplement)***

Accreditation claims for such testing and/or calibration services shall only be made from addresses referenced within this certificate. This Accreditation is granted subject to the system rules governing the Accreditation referred to above, and the Organization hereby covenants with the Accreditation body's duty to observe and comply with the said rules.

For PJLA:

Tracy Szerszen
President

Initial Accreditation Date:

August 10, 2023

Issue Date:

August 10, 2023

Expiration Date:

November 30, 2025

Accreditation No.:

108157

Certificate No.:

L23-378-2

Perry Johnson Laboratory
Accreditation, Inc. (PJLA)
755 W. Big Beaver, Suite 1325
Troy, Michigan 48084

*The validity of this certificate is maintained through ongoing assessments based on a
continuous accreditation cycle. The validity of this certificate should be
confirmed through the PJLA website: www.pjllabs.com*



Certificate of Accreditation: Supplement

Cambium Analytica

4125 Cedar Run Rd., Suite C, Traverse City, Michigan 49684

Contact Name: Mr. George Powell Phone: 2316-339-355

Accreditation is granted to the facility to perform the following testing:

FIELD OF TEST	ITEMS, MATERIALS OR PRODUCTS TESTED	SPECIFIC TESTS OR PROPERTIES MEASURED	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED
Chemical ^F	Food Products, Dietary Supplements, Botanicals (Raw Materials, Extracts, Finished Products)	Total Nitrogen, Carbon & Protein Carbon % Nitrogen % Total Protein %	Elemental Analyzer LAB-TM-069 REF: AOAC OMA 992.15
	Food Products, Dietary Supplements, Botanicals (Raw Materials, Extracts, Finished Products)	Nutritional Elements in Food Products & Dietary Supplements Al B Ba Ca Co Cu Fe K Mg Mn Mo Na Ni P S Se Sn Sr Ti V Zn	ICP-OES LAB-TM-070 AOAC OMA 985.01 USP <591>

1. The presence of a superscript F means that the laboratory performs testing of the indicated parameter at its fixed location. Example: Outside Micrometer ^F would mean that the laboratory performs this testing at its fixed location.
2. This location is linked to 1230 Woodmere Avenue Traverse City, MI 49686 due to a shared quality management system.